

Historic, archived document

Do not assume content reflects current
scientific knowledge, policies, or practices.

LIBRARY
RECEIVED

★ MAR 20 1941 ★

U. S. Department of Agriculture

932
2A98

UNITED STATES DEPARTMENT OF AGRICULTURE
U.S. Bureau of Agricultural Chemistry and Engineering
Naval Stores Research Division

Publications on
Production, Properties, Examination, Marketing and Uses of Naval Stores
By the
Bureau of Agricultural Chemistry and Engineering

Publications checked (x) may be obtained from the Bureau of Agricultural Chemistry and Engineering. The other publications can be consulted in large public libraries, especially in those of the State Agricultural Colleges and Experiment Stations.

PRODUCTION

- Wood turpentine: Its production, refining, properties and uses. F. P. Veitch and M. G. Donk. U.S.D.A. Bur. Chem. Bul. 144. (Limited supply available). (1912)
- x Winter suggestions for turpentine operators. G. P. Shingler, Mimeo. cir. 1924.
- x Keep your rosin barrels from rotting. G. P. Shingler, Mimeo. cir. 1924.
- x Thermometers for turpentine stills. G. P. Shingler, Mimeo. cir. 1924.
- x The new steam turpentine still. J. O. Reed, Mimeo. cir. Feb. 1928
- x Improved naval stores made with steam still. J. O. Reed, Chem. and Met. Eng. 36: 11, p. 677, Nov. 1929. (Limited supply available).
- x New Cups - WG Rosin. G. P. Shingler. U.S.D.A. Press Service. 1929.
- x Rusty cups stain your dip, degrade your rosin. G. P. Shingler, Mimeo. cir. 1929.
- x Gluing turpentine barrels. G. P. Shingler and W. C. Smith. Mimeo. cir. Naval Stores Rev. 41: 19, p. 13 and 17, Aug. 1931.
- Component distribution trend in commercial still operation. S. Palkin, Ind. and Eng. Chem., 25: 1, pp. 95-97, Jan. 1933.
- Naval Stores Station cleans dip barrels with steam. G. P. Shingler, Naval Stores Rev. and Jour. Trade, 43: 27, Aug. 1933.
- The preparation of "special rosins". S. Palkin and C. K. Clark, Ind. and Eng. Chem. 26: p. 720, July 1934.
- x The Naval Stores Station of the Bureau of Chemistry and Soils. F. P. Veitch, U.S.D.A. Misc. Pub. 206, Aug. 1934.
- x The outturn from several grades of gum containing small, medium and large quantities of chips and trash. G. P. Shingler, Mimeo. cir. Jan. 1936.

PRODUCTION (continued)

- x Test.rosin barrels. F. P. Veitch and G. P. Shingler, U.S.D.A. Press Service, Feb. 1935.
- x Summary of the 1934 distillation work at the Naval Stores Station, Olustee, Florida. F. P. Veitch and G. P. Shingler, Mimeo. cir. Apr. 26, 1935.
- Care of Government type still settings. G. P. Shingler and K. S. Trowbridge, Naval Stores Rev. and Jour. Trade, 45: 49, Mar. 1936.
- Production of clean gum rosin. W. C. Smith, Ind. and Eng. Chem., 28: p. 408, Apr. 1936.
- x Loss of moisture from filled barrels of rosin. F. P. Veitch and G. P. Shingler, Mimeo. cir. Apr. 1936.
- Dehydration of turpentine. Anon. Scientific American, June 1936.
- x Naval stores producers plan new season's work. F. P. Veitch and C. F. Speh, U.S.D.A. Press Service, Feb. 1937.
- x Cup and apron tests reported by United States Naval Stores Station. F. P. Veitch and G. P. Shingler. U.S.D.A. Press Service. Feb. 1937.
- x Rosin lost in chips, rock dross and batting dross. G. P. Shingler, C. K. Clark and N. C. McConnell, Mimeo. cir. No. 1, Apr. 1937.
- Turpentine farmers lose by not removing chips from gum. G. P. Shingler, C. K. Clark and N. C. McConnell, Weekly Naval Stores Rev. 47: 2, Apr. 10, 1937. U.S.D.A. Press Release.
- x Cross-sectional view of turpentine fire still layout at the Naval Stores Station. J. O. Reed, F. P. Veitch and C. F. Speh, Mimeo. cir. MC-12, Aug. 1937.
- x Turpentine fire still setting. J. O. Reed, F. P. Veitch and C. F. Speh, Mimeo. cir. MC-13, Sept. 30, 1937.
- x Directions for decolorizing turpentine by distillation. G. P. Shingler, E. L. Patton and N. C. McConnell. Mimeo. cir. MC-17, Oct. 1937.
- x Rerunning rosin on a fire still. E. L. Patton and N. C. McConnell. Mimeo. cir. MC-18, Oct. 1937.
- Gum grades and standards. G. P. Shingler, Naval Stores Rev. and Jour. Trade, 48: 18, July 30, 1938.
- One and one-half pieces of cotton batting effect a saving to producer. G. P. Shingler, Naval Stores Rev. and Jour. Trade, 48: 24, p. 21, Aug. 13, 1938.
- x Cleaning and painting turpentine cups. A. R. Shirley, Mimeo. cir. MC-43; Naval Stores Rev. and Jour. Trade, 48: 42, pp. 20-21, Jan. 14, 1939.

PRODUCTION (continued)

- Turpentine farming, A. R. Shirley, address, Forestry Sec., Assoc. South. Agr. Workers, New Orleans, La., Feb. 1939.
- x Packaging is important in naval stores products. J. O. Boynton, AT-FA, 1: 9, June, 1939.
- x Rosin straining. G. P. Shingler and E. L. Patton, Mimeo. cir. ACE-1, Aug. 4, 1939; Naval Stores Rev. and Jour. Trade. 49: 20, Aug. 12, 1939.
- x Grades and yields of rosin and turpentine from crude gum. A. R. Shirley, Mimeo. cir. ACE-5, Aug. 25, 1939.
- x An experimental turpentine still. E. L. Patton, Mimeo. cir. ACE-2, Sept. 6, 1939.
- Government style fire still operated twenty-four hours a day. E. L. Patton, Naval Stores Rev. and Jour. Trade, 49: 29, p. 22, Oct. 14, 1939.
- x How to charge a turpentine still. ACE-53. 1940.
- x How to discharge a turpentine still. ACE-52. 1940.
- x Directions for running crude gum on a turpentine fire still. ACE-54. 1940.
- Value of covering turpentine cups. Ray V. Lawrence. Naval Stores Rev. and Jour. Trade, 49: 49, p. 4, March 2, 1940.
- x A study of the cost of production of naval stores. Harry D. High, ACE-59, July, 1940.
- Suggestions on gum buying. John O. Boynton, Weekly Naval Stores Rev. 50: 31, p. 8, Nov. 2, 1940.
- A simple method of installing tube wall thermocouples. E. L. Patton and R. A. Feagan, Jr. (in press)
- Avoid cracked still crowns. John O. Boynton, Weekly Naval Stores Rev. 50: 35, p. 15, Nov. 30, 1940.
- Protect your still plant from fire. John O. Boynton, Weekly Naval Stores Rev. 50: 36, p. 13, Dec. 7, 1940.
- x How to stop leaks from the side sampler in a metal rosin drum. E. L. Patton, ACE-72. 1941.
- x Turpentine still buildings. Naval Stores Research Division. Misc. Pub. 387. 1941.

Patents

- Turpentine Dip Barrel Head, Lock, and Remover. U. S. Patent No. 2,052,223, issued August 25, 1936, to Lawrence Evans.
- Turpentine Gum Sampler. U. S. Patent No. 1, 953,886, issued April 3, 1934, to N. C. McConnell.

PRODUCTION (continued)

Patents (continued)

Steam Turpentine Still. U. S. Patent No. 1,667,168, issued April, 1928 to J. O. Reed.

Process for separating pine gum into fractions. U. S. Patent No. 2,086,777, issued July 13, 1937, to S. Palkin and T. H. Harris, Jr.

Multiple Filter Devices. U. S. Patent 2,198,175, issued April 23, 1940, to Samuel Palkin.

x Drawings

N.S.	52 Turpentine Dehydrator
N.S.	56 Rosin Strainer
N.S.	70 Turpentine Separator and Dehydrator
N.S.	72 Turpentine Separator
N.S.	114 Cooper's Winch
N.S.	125 Rosin Trough

COMPOSITION, PROPERTIES AND ANALYTICAL METHODS

Commercial turpentine. F. P. Veitch and M. G. Donk, U.S.D.A. Bur. Chem. Bul. 135 (1911). (Out of print).

A modification of the Herzfeld-Bohme method for the detection of mineral oil in other oils. F. P. Veitch and M. G. Donk, U.S.D.A. Bur. Chem. Cir. 85, (1912). (Out of print.)

Turpentine: Its sources, properties, uses, transportation and marketing, with recommended specifications. F. P. Veitch and V. E. Grotlisch. U. S. D. A. Bul. 898 (1920). (Out of print).

The detection and estimation of coal tar oils in turpentine. W. C. Smith and V. E. Grotlisch, Ind. and Eng. Chem. 13: p. 791, 1921.

Tentative specifications for turpentine (D-13-20-T). F. P. Veitch, co-author, Proc. Amer. Soc. Test. Mats., 20: Pt. I, p. 68-, 1920; also Proc. Amer. Soc. Test. Mats., 21: p. 604, 1921.

Changes in powdered rosin stored in glass containers. F. P. Veitch and W. F. Sterling, Ind. and Eng. Chem. 15: p. 576, 1923.

Standard specifications for turpentine (D 13-24). F. P. Veitch, co-author, Amer. Soc. Test. Mats. Standards 1924, p. 795.

Report on naval stores. F. P. Veitch, Jour. Assoc. Off. Agr. Chem. 8: p. 710, 1925.

Tentative revision of standard specifications for turpentine (D 13-24). F. P. Veitch co-author. Proc. Amer. Soc. Test. Mats., 25; Pt. I, p. 909, 1925.

COMPOSITION, PROPERTIES AND ANALYTICAL METHODS (continued)

Tentative method of test for determination of toluol insoluble matter in rosin (chiefly sand, chips, dirt and bark) (D-269-27-T) F. P. Veitch, co-author. Proc. Amer. Soc. Test. Mats., 27: Pt. I, p. 895, 1927.

Standard specifications for destructively distilled wood turpentine (D 236-237). Co-author, F. P. Veitch, Amer. Soc. Test. Mats. Standards, 1927, Pt. II, p. 238.

Standard methods of sampling and testing turpentine (D 233-236). Co-author, F. P. Veitch, Amer. Soc. Test. Mats., Standards, 1927, Pt. II, p. 269.

Proposed method for determination of softening and fluid temperatures of rosin (Capillary tube method). F. P. Veitch, co-author. Proc. Amer. Soc. Test. Mats., 28: Pt. I, p. 608, 1928.

x Specific gravity and Baumé tables for turpentine. W. C. Smith and F. P. Veitch, U.S.D.A. Cir. No. 110, Feb. 1930.

Report on naval stores. F. P. Veitch, Jour. Assoc. Off. Agr. Chem., 13: No. 4, 488, 1930.

The determination of small quantities of sulfur and chlorine in turpentine. W. C. Smith, Anal. Ed., Ind. and Eng. Chem. 3: 4, Oct. 1931.

x The fractionation of American gum spirits of turpentine and evaluation of its pinene content by optical means. S. Palkin. U.S.D.A. Tech. Bul. 276 (1932).

Specific gravity of gum spirits of turpentine. W. C. Smith and G. P. Shingler, Naval Stores Rev. and Jour. Trade, 42: 12, June 18, 1932.

Standard methods of sampling and testing turpentine. Subcommittee XII, Committee D-1, A.S.T.M. Designation D 233 - 33. F. P. Veitch, co-author. Adopted 1926. Revised 1933.

The resin acids of American turpentine gum. I. The Preparation of the pimelic acid from pinus palustris. S. Palkin and T. H. Harris. Jour. Amer. Chem. Soc. 55: p. 3677, Sept. 1933.

Oleoresin from individual trees of slash and longleaf pine. A. P. Black and S. M. Thronson, Ind. and Eng. Chem., 26: p. 66, Jan. 1934.

The preparation of l-abietic acid (Schulz) and properties of some of its salts. S. Palkin and T. H. Harris, Jour. Amer. Chem. Soc. 56: 1935 (1934).

An aid in the acidity titration of low grade rosins. W. C. Smith, Anal. Ed. Ind. and Eng. Chem., 6: p. 122, Mar. 1934.

Standard Specifications for spirits of turpentine. Subcommittee XII, D-1, A.S.T.M. Designation D 13-34. F. P. Veitch, co-author. Adopted 1915. Revised 1924, 1926, 1934.

COMPOSITION, PROPERTIES AND ANALYTICAL METHODS (continued)

- Retarding changes in turpentine during storage. W. C. Smith and H. P. Holman, Ind. and Eng. Chem., 26: p. 716, July 1934.
- The acids of pine oleoresin and rosin. S. Palkin, Jour. Chem. Ed., 12: 1, Jan. 1935.
- Total neutral and unsaponifiable matter in rosin with data relative to mechanical methods for their determination. S. Palkin and M. B. Matlack, Jour. Assoc. Off. Agr. Chem. 18: (3), 466-471, 1935.
- x The specific gravity and weight per gallon of fresh gum spirits of turpentine. F. P. Veitch and G. I. Shingler, Mimeo. Cir. Apr. 1935.
- Annual Reports of Subcommittee XII of Committee D-1, on Turpentine. Proc. Amer. Soc. Test. Mats., 1915 to 1935, inclusive.
- Annual Reports of Committee D-17 on Naval Stores, Amer. Soc. for Test. Mats., F. P. Veitch, Proc. Amer. Soc. Test. Mats., 1926 to 1936, incl.
- Report on naval stores. Jour. Assoc. Off. Agr. Chem., August 1936.
- A catalytic method for the preparation of alpha-pyrabietic acid. Elmer E. Fleck and S. Palkin, Science, 85: 2196, Jan. 29, 1937, p. 126.
- x Catalytic isomerization of the acids of pine oleoresin and rosin. E. E. Fleck and S. Palkin, Jour. Amer. Chem. Soc., 59: 9, pp. 1593-5, Sept. 1937. (limited supply available).
- x The influence of solvent on the saponification number of rosin. W. C. Smith, Ind. and Eng. Chem., Anal. Ed. 9: 10, pp. 469-471, Oct. 15, 1937. (limited supply available).
- x Composition and fractionation of American steam-distilled wood turpentine. S. Palkin, T. C. Chadwick and M. B. Matlack, U.S.D.A. Tech. Bul. 596, Dec. 1937.
- x Composition of American steam-distilled wood turpentine and a method for its identification. T. C. Chadwick and S. Palkin, Proc. Amer. Soc. Test. Mats., 37, Pt. II, 1937.
- x On the nature of pyroabietic acids. E. E. Fleck and S. Palkin, Jour. Amer. Chem. Soc. 60: 921, Apr. 1938. (limited supply available).
- x The dihydroabietic acids from so-called pyroabietic acids. E. E. Fleck and S. Palkin, Jour. Amer. Chem. Soc. 60: 11, pp. 2621-2, Nov. 1938. (limited supply available).
- x The composition of so-called pyroabietic acid prepared without catalyst. E. E. Fleck and S. Palkin, Jour. Amer. Chem. Soc. 61: 2, pp. 247-249. Feb. 1939. (limited supply available).

COMPOSITION PROPERTIES AND ANALYTICAL METHODS (continued)

- x The presence of dihydroabietic acid in pine oleoresin and rosin. E. E. Fleck and S. Palkin, Jour. Amer. Chem. Soc. 61: 1230, May 1939. (limited supply available).
- x Lactonization of dihydro-1-abietic and dihydro-1-pimaric acids. E. E. Fleck and S. Palkin, Jour. Amer. Chem. Soc. 61: 3197, Nov. 1939. (limited supply available).
- x A hydroxy-lactone from d-pimaric acid. E. E. Fleck and S. Palkin, Jour. Amer. Chem. Soc., 62: pp. 2044-47, Aug. 1940. (limited supply available).
- x Composition of American gum turpentine exclusive of the pinenes. T. C. Chadwick and S. Palkin, U.S.D.A. Tech. Bul. 749. 1940.
- x A hydrometer for turpentine indicating pounds per gallon. W. C. Smith, Jour. Ind. and Eng. Chem. 1941

USES

Symposium on Rosin: A discussion on the uses of rosin in the industries and the production and properties of gum rosin and wood rosin. A.S.T.M. Committee D-17 on Naval Stores. F. P. Veitch, co-author, Proc. Amer. Soc. Test. Mats., 26: Pt. II, p. 493, 1926.

Naval Stores Greatest Need - Scientific Research. C. F. Speh, Proc. Florida Chemurgic Conference, Feb. 20, 1937.

- x Uses of turpentine and rosin. Mimeo. Cir. MC-40, 1938.

A new non-crystallizing gum rosin. S. Palkin and W. C. Smith, Oil and Soap, 15:5, pp. 120-122, May 1938.

Rosin - uses. (Publ. under title "Gum and wood rosin -- Their uses in great consuming industries -- As physical and chemical properties are better known, uses in industry should increase," (Naval Stores Res. Div.) Gamble's Naval Stores Yearbook, pp. 126-128, 1938-39.

- x Industrial utilization of naval stores. C. F. Speh, Ind. and Eng. Chem. 31: 2, pp. 166-8, Feb. 1939. (limited supply available).

Titre of rosin-fatty acid mixtures. W. D. Pohle, Soap, 16: 3, p. 61, Mar. 1940.

- x A study of factors influencing the color contributed to soap by gum rosin. W. D. Pohle and C. F. Speh, Oil and Soap, 17: 5, pp. 100-106, May, 1940.

- x The use of copper resinate as a treatment for paper pots. Martin Leatherman and V. R. Boswell, Proc. Amer. Soc. Hort. Sci., 37: 1939 (limited supply available).

USES (continued)

- x Surface tension of rosin soap solutions. W. D. Pohle, Oil and Soap, 17: 7, pp. 150-151, July, 1940.
- x Detergent action of rosin soaps and fatty acid-rosin soaps. W. D. Pohle and C. F. Speh, Oil and Soap, 17: 10, pp. 214-216, Oct. 1940.
- x The germicidal action of cleaning agents - a study of a modification of Price's procedure. W. D. Pohle and L. S. Stuart, Jour. Infectious Diseases. 67:pp 275-281 (1940)
- x The germicidal activity of rosin soap and fatty-acid-rosin soap as indicated by hand-washing experiments. W. D. Pohle and L. S. Stuart, Jour. Oil and Soap. 18, 2-7, (1941)
- x The germicidal action of soaps with special reference to rosin soaps. L. S. Stuart and W. D. Pohle, Soap and Sanitary Chemicals, Feb. 1941.

Patents

- Method for making varnish materials. U. S. Patent No. 1,395,874 issued November 1921, to W.F. Sterling, V.E. Grotlisch, and F.P. Veitch.
- Paper propagating pots. U. S. Patent No. 2,129,190 issued Sept. 6, 1938, to Martin Leatherman.
- Process of manufacturing an elastic, porous, and compressible product. U. S. Patent No. 2,140,265, issued Dec. 13, 1938, to Martin Leatherman.
- Noncrystallizing gum rosin. U. S. Patent No. 2,176,660, issued Oct. 17, 1939, to S. Palkin and W. C. Smith.
- Soil adjuvant. U. S. Patent No. 2,187,532, issued Jan. 16, 1940, to Martin Leatherman.
- Plant propagating pots. U. S. Patent No. 2,202,664, issued May 28, 1940, to Martin Leatherman.

GENERAL

- Work of the Bureau of Chemistry and Soils as directly related to the paint and varnish industry. F. P. Veitch, Paint, Oil, and Chem. Rev., 70: 17, p. 110, Oct. 1920.
- Progress in the chemistry of naval stores, 1920-21. F. P. Veitch and V. E. Grotlisch, Ind. and Eng. Chem. 14: p. 781, 1922.
- The United States Department of Agriculture and the naval stores industry. Naval Stores Rev. and Jour. Trade, Special Issue, Feb. 1928.
- Naval Stores research in the Bureau of Chemistry and Soils. Naval Stores Rev. and Jour. Trade, Sept. 29, 1928.

GENERAL (continued)

- The work of the Bureau of Chemistry and Soils on naval stores. F. P. Veitch and G. P. Shingler. Naval Stores Rev. and Jour. Trade, 39: 29, pp. 16-17, Oct. 1929.
- A differential pressure control mechanism for vacuum distillation. S. Palkin and O. A. Nelson, Ind. and Eng. Chem., Anal. Ed. 6: 5, pp. 386-387, Sept. 15, 1934.
- A precision oil gauge. S. Palkin, Ind. and Eng. Chem., 7: p. 434, Nov. 15, 1935.
- Improvements in design of pressure control assembly. S. Palkin, Ind. and Eng. Chem., Anal. Ed., 7: p. 436, Nov. 1935.
- x What's ahead in naval stores. Henry G. Knight, Mfrs. Rec., Aug. 1936 (limited supply available).
- x The Naval Stores Research Division; its objectives, program and progress. F. P. Veitch and C. F. Speh, Mimeo. cir. MC-21, Dec. 1937.
- Marketing gum naval stores. G. P. Shingler and John O. Boynton, Naval Stores Rev. and Jour. Trade, 48: 7, p. 14, May 14, 1938.
- The Naval Stores Station, Olustee, Fla. G. P. Shingler and E. L. Patton. Gamble's Naval Stores Yearbook, pp. 132-4, 1938-39.
- x Simplified precision oil manometer. T. C. Chadwick and S. Palkin, Ind. and Eng. Chem. 10: 7, p. 399, July 15, 1938 (limited supply available).
- The Naval Stores Research Division, Bureau of Chemistry and Soils. C. F. Speh, Gamble's Naval Stores Yearbook, 1939-40, pp. 151-2.
- x A device to prevent bumping and promote boiling. S. Palkin and T. C. Chadwick, Ind. and Eng. Chem., Anal. Ed. 11: 9, p. 509, Sept. 15, 1939 (limited supply available).
- Naval stores studies of the Bureau of Agricultural Chemistry and Engineering. C. F. Speh, Mfrs., Rec. 109: 2, p. 30, Feb. 1940.
- Florida Naval Stores Operators Progressive. J. O. Boynton, Naval Stores Rev. and Jour. Trade, 49: 46 Feb. 10, 1940.
- The Naval Stores Research Division and the naval stores industry. C. F. Speh, Gamble's International Naval Stores Yearbook for 1940-41, pp. 129-32, July, 1940.
- The work of the naval stores cooperative agents. C. F. Speh, Naval Stores Rev., 50: 21, pp. 8 and 13, Aug. 24, 1940.

GENERAL (continued)

Patents

Gauges for measurement of gas pressures. U. S. Patent No. 2,051,740, issued August 18, 1936, to S. Palkin.

A gauge for measurement of gas pressure. U. S. Patent No. 2,169,812, issued August 15, 1939, to S. Palkin and T. C. Chadwick.

STATISTICS

x Annual Naval Stores Reports on Production, Consumption and Stocks of Turpentine and Rosin. Mimeo. cir. 1934-35; 1935-36, 1936-37; 1937-38; 1938-39; 1939-40.

x Semi-Annual Naval Stores Reports on Production, Consumption and Stocks of Turpentine and Rosin. Mimeo. cir. 1936-37; 1937-38; 1938-39; 1939-40; 1940-41.

